

SLIDE is our sliding door system that connects

0,69^{Uw}/m²K

*for a reference window 4000 x 2200 with a glazing package, 4/18/4/18/4Ug=0,5 W/m²K with the Swisspacer Ultimate




DECCO SLIDE

www.decco.eu

Decco SLIDE





Introducing the Decco SLIDE system. This is a new alternative solution in the segment of sliding doors and windows. It is an excellent alternative to the PSK- or HST-type terrace doors. The SLIDE system is perfect for family houses and for public buildings. The great advantages of the SLIDE system are tightness, reliability and ease of use.

- Leaf depth 81 mm
- Frame depth – 157.5 mm
- Possibility of glazing with packages up to 52 mm
- High rigidity reinforcements in leaves
- Designed to work with Roto and Hautau door furniture
- Available in scheme A



The warmest SLIDE system



The widest glazing packages



High production efficiency



Exceptionally rigid structure



Alternative to the PSK system

We offer over 50 decorative foils to SLIDE system







Winchester XA 76

Quartz Grey sand 61



Woodec Sheffield Oak

1402



Woodec Turner Oak

1401



т

Black Ulti-Matt

504700



Silver Slate 86

υ

S 1 Ο N



Coal Grey sand 62

few samples

R

Nut 5

Golden Oak 8

Due to the printing technology, the colors are close to the original ones

Mahagony 9

Estimated Uw = 0,69 [W/m²K] Thermal transmittance

*for a reference window 4000 x 2200 with a glazing package, $4/18/4/18/4Ug{=}0{,}5~W/m^2K$ with the Swisspacer Ultimate

www.decco.eu